


IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A compound of the general formula (I) ~~and or a~~
 salt[[s]] ~~and or a~~ physiologically functional derivative[[s]] thereof[[,]]:



wherein

A is a non-aromatic ring system containing 4 to 8 carbon atoms, wherein the ring system comprises at least one double bond and wherein one or more of the carbon atoms in the ring can be replaced by a group X, wherein X is CO ~~selected from the group consisting of S, O, N, NR⁴, SO, CO or SO₂;~~

D is O, S, SO₂, NR⁴ or CH₂;

Z¹ and Z² are, independently, ~~from each other~~ O, S, or NR⁵;

R¹ is independently -CO₂R'', -SO₃H, -CONR*R'', -CR''O, -SO₂-NR*R'', -NO₂, -SO₂-R'', -SO-R*, -CN, alkoxy, -OH, -SH, alkylthio, -NR''-CO₂-R', -NR''-CO-R*, -NR''-SO₂-R', -O-CO-R*, -O-CO₂-R*, -O-CO-NR*R''[[,]], cycloalkyl, alkylamino, hydroxyalkylamino, aryl, or heteroaryl;

R⁹ is independently H, halogen, haloalkyl, haloalkyloxy or alkyl;

R* is independently H, alkyl, cycloalkyl, aminoalkyl, alkoxy, -OH, -SH, alkylthio, hydroxyalkyl, haloalkyl, haloalkyloxy, aryl or heteroaryl;

R' is independently H, -CO₂R'', -CONHR'', CR''O, -SO₂NR'', -NR''-CO-haloalkyl, -NO₂, NR''-SO₂-haloalkyl, -NR''-SO₂-alkyl, -SO₂-alkyl, -NR''-CO-alkyl, -CN,

alkyl, aminoalkyl, alkylamino, alkoxy, -OH, -SH, alkylthio, hydroxyalkyl,

hydroxyalkylamino, halogen, haloalkyl, haloalkyloxy, aryl, arylalkyl or heteroaryl;

R'' is independently hydrogen, haloalkyl, hydroxyalkyl, alkyl, cycloalkyl, aryl, heteroaryl or aminoalkyl;

R^2 is H, OR^6 , or NHR^7 ;

R^3 is H, alkyl, cycloalkyl, aryl, arylalkyl, alkoxy, O-aryl, O-cycloalkyl, halogen, aminoalkyl, alkylamino, hydroxylamino, hydroxylalkyl, haloalkyl, haloalkyloxy, heteroaryl, alkylthio, S-aryl, or S-cycloalkyl;

R^4 is H, alkyl, cycloalkyl, aryl, or heteroaryl;

R^5 is H, OH, alkoxy, O-aryl, alkyl, or aryl;


R^6 is H, alkyl, cycloalkyl, aryl, heteroaryl, arylalkyl, alkylaryl, alkoxyalkyl, acylmethyl, (acyloxy)alkyl, non-symmetrical (acyloxy)alkyldiester, or dialkylphosphate;

R^7 is H, alkyl, aryl, alkoxy, O-aryl, cycloalkyl, or O-cycloalkyl;

R^8 is hydrogen or alkyl;


E is an alkyl or cycloalkyl group which is substituted by $[D_m-(CHR_3)_n]_qY$ or a monocyclic or polycyclic substituted or unsubstituted ring system which may contain one or more groups X and which contains at least one aromatic ring;

Y is hydrogen, halogen, haloalkyl, haloalkyloxy, alkyl, cycloalkyl, a monocyclic or polycyclic substituted or unsubstituted ring system which may contain one or more groups X and which contains at least one aromatic ring or



m is 0 or 1;
 n is 0 or 1;
 p is 0 or 1;
 r is 0 or 1;
 q is 0 or 1;
 t is 1 to 3; and
 v is 0 to 3[[:]].

Claim 2 (Currently Amended): A compound of the general formula (Ia) ~~and or a~~
 salt[[s and]] or a physiologically function derivative[[s]] thereof,



wherein

A is a non-aromatic ring system containing 4, 5, 6, 7 or 8 carbon atoms, wherein the ring system comprises at least one double bond and wherein one or more of the carbon atoms in the ring can be replaced by a group X, wherein X is CO ~~selected from the group consisting of S, O, N, NR⁴, SO, CO or SO₂;~~

D is O, S, SO₂, NR⁴, or CH₂;

Z¹ and Z² are, independently, ~~from each other~~ O, S, or NR⁵;

R¹ is independently H, halogen, haloalkyl, haloalkyloxy -CO₂R'', -SO₃H, -OH, -CONR*R'', -CR''O, -SO₂-NR*R'', -NO₂, -SO₂-R'', -SO-R*, -CN, alkoxy, alkylthio, aryl, --

$\text{NR}''\text{-CO}_2\text{-R}'$, $\text{-NR}''\text{-CO-R}^*$, $\text{-NR}''\text{-SO}_2\text{-R}'$, -O-CO-R^* , $\text{-O-CO}_2\text{-R}^*$, $\text{-O-CO-NR}^*\text{R}''$;

cycloalkyl, alkylamino, hydroxyalkylamino, -SH, heteroaryl, or alkyl;

R^* is independently H, alkyl, cycloalkyl, aminoalkyl, alkoxy, -OH, -SH, alkylthio, hydroxyalkyl, haloalkyl, haloalkyloxy, aryl or heteroaryl;

R' is independently H, $\text{-CO}_2\text{R}''$, $\text{-CONHR}''$, $\text{CR}''\text{O}$, $\text{-SO}_2\text{NR}''$, $\text{-NR}''\text{-CO-haloalkyl}$, -NO_2 , $\text{NR}''\text{-SO}_2\text{-haloalkyl}$, $\text{-NR}''\text{-SO}_2\text{-alkyl}$, $\text{-SO}_2\text{-alkyl}$, $\text{-NR}''\text{-CO-alkyl}$, -CN , alkyl, aminoalkyl, alkylamino, alkoxy, -OH, -SH, alkylthio, hydroxyalkyl, hydroxyalkylamino, halogen, haloalkyl, haloalkyloxy, aryl, arylalkyl or heteroaryl;

R'' is independently hydrogen, haloalkyl, hydroxyalkyl, alkyl, cycloalkyl, aryl, heteroaryl or aminoalkyl;

R^2 is NHOH or R^2 together with the nitrogen atom which is attached to R^8 form a 5 or 6 membered heterocyclic ring with the proviso that R^2 is $\text{-[CH}_2\text{]}$, and R^8 is absent;

R^3 is H, alkyl, cycloalkyl, aryl, alkoxy, O-aryl; O-cycloalkyl, halogen; aminoalkyl, alkylamino, hydroxylamino, hydroxylalkyl, haloalkyloxy, heteroaryl, alkylthio, S-aryl; S-cycloalkyl, arylalkyl, or haloalkyl;


R^4 is H, alkyl, cycloalkyl, aryl or heteroaryl;

R^5 is H, OH, alkoxy, O-aryl, alkyl or aryl;

R^8 is hydrogen, or alkyl;

E is an alkyl or cycloalkyl group which is substituted by $[\text{D}_m\text{---}(\text{CHR}_3)_n]_q$ or a monocyclic or polycyclic substituted or unsubstituted ring system which may contain one or more groups X and which contains at least one aromatic ring;

Y is hydrogen, halogen, haloalkyl, haloalkyloxy, alkyl, cycloalkyl, a monocyclic or polycyclic substituted or unsubstituted ring system which may contain one or more groups X and which contains at least one aromatic ring or



m is 0 or 1;

n is 0 or 1;

p is 0 or 1;

r is 0 or 1;

q is 0 or 1;


s is 0 to 2; and

t is 0 to 3;

with the proviso that the following compounds are excluded:

compounds wherein ring A is an unsubstituted carbocycle containing six carbon atoms and one double bond between the CZ¹ and CZ²-substituents, Z¹=Z²=O, and s is 0; 1,3,5-Tribenzyl-2,4,6-trioxopyrrolo[3,4-d]imidazole, 1,3-Dibenzyl-5-(4-methoxy-benzyl)-2,4,6-trioxopyrrolo[3,4-d]imidazole, 1,3-Bis-(4-methoxybenzyl)-5-benzyl-2,4,6-trioxopyrrolo[3,4-d]imidazole, and 1,3-Tris-(4-methoxybenzyl)-2,4,6-trioxo-pyrrolo[3,4-d]imidazole.

Claim 3 (Withdrawn): A compound of the general formula (III) ~~and~~ or a salt[[s and]] or physiologically functional derivative[[s]] thereof,



wherein

the dotted line means a single or a double bond;

A is a non-aromatic ring system containing 4, 5, 6, 7 or 8 carbon atoms, wherein the ring system comprises at least one double bond and wherein one or more of the carbon atoms in the ring can be replaced by a group X, wherein X is selected from the group consisting of S, O, N, NR⁴, SO, CO or SO₂;

D is O, S, SO₂, NR⁴, or CH₂;

G is O, S, SO₂, CO, N, NR⁴, CR¹ or CHR¹;

L is N or CR¹;

M is N or CR⁵;

Z¹ is O, S, or NR⁵; NR⁴CONR⁴, CONR⁴, or CO;

R¹ is independently H, halogen, haloalkyl, haloalkyloxy -CO₂R'', -SO₃H, -OH, -CONR*R'', -CR''O, -SO₂NR*R'', NO₂, -SO₂-R'', -SO-R*, -CN, alkoxy, alkylthio, aryl, NR''-CO₂-R', -NR''-CO-R*, -NR''-SO₂-R', -O-CO-R*, -O-CO₂-R*, -O-CO NR*R'', cycloalkyl, alkylamino, hydroxyalkylamino, -SH, heteroaryl, or alkyl;

R* is independently H, alkyl, cycloalkyl, aminoalkyl, alkoxy, -OH, -SH, alkylthio, hydroxyalkyl, haloalkyl, haloalkyloxy, aryl or heteroaryl;

R' is independently H, -CO₂R'', -CONHR'', CR''O, -SO₂NR'', -NR''-CO-haloalkyl, -NO₂, NR''-SO₂-haloalkyl, -NR''-SO₂-alkyl, -SO₂-alkyl, -NR''-CO-alkyl, -CN, alkyl, aminoalkyl, alkylamino, alkoxy, -OH, -SH, alkylthio, hydroxyalkyl, hydroxyalkylamino, halogen, haloalkyl, haloalkyloxy, aryl, arylalkyl or heteroaryl;

R'' is independently hydrogen, haloalkyl, hydroxyalkyl, alkyl, cycloalkyl, aryl, heteroaryl or aminoalkyl;

R^3 is H, alkyl, cycloalkyl, aryl, alkoxy, O-aryl; O-cycloalkyl, halogen, aminoalkyl, alkylamino, hydroxylamino, hydroxylalkyl, haloalkyloxy, heteroaryl, alkylthio, S-aryl; S-cycloalkyl, arylalkyl, or haloalkyl;

R^4 is H, alkyl, cycloalkyl, aryl or heteroaryl;


R^5 is H, OR, alkoxy, O-aryl, alkyl or aryl;

R^7 is H, OH, alkyl, aryl, alkoxy, O-aryl, cycloalkyl, or O-cycloalkyl;

R^8 is hydrogen, or alkyl;

E is an alkyl or cycloalkyl group or a monocyclic or polycyclic substituted or unsubstituted ring system which may contain one or more groups X and which contains at least one aromatic ring;

Y is hydrogen, halogen, haloalkyl, haloalkyloxy, alkyl, cycloalkyl, a monocyclic or polycyclic substituted or unsubstituted ring system which may contain one or more groups X and which contains at least one aromatic ring or



m is 0 or 1;

n is 0 or 1;


p is 0 or 1;

r is 0 or 1;

q is 0 or 1; and

t is 0 to 3;

Claim 4 (Withdrawn): A compound of the general formula (IV) and salts and physiologically functional derivatives thereof,



wherein

A is a non-aromatic ring system containing 4, 5, 6, 7 or 8 carbon atoms, wherein the ring system comprises at least one double bond and wherein one or more of the carbon atoms in the ring can be replaced by a group X, wherein X is selected from the group consisting of S, O, N, NR⁴, SO, CO [[or]] and SO₂;

D is O, S, SO₂, NR⁴, or CH₂;

Z¹ and Z² are, independently, from each other O, S, or NR⁵;

R¹ is independently H, halogen, haloalkyl, haloalkyloxy -CO₂R'', -SO₃H, -OH, -CONR*R'', -CR''O, -SO₂-NR*R'', -NO₂, -SO₂-R'', -SO-R*, -CN, alkoxy, alkylthio, aryl, -NR''-CO₂-R', -NR''-CO-R*, -NR''-SO₂-R', -O-CO-R*, -O-CO₂-R*, -O-CO NR*R''; cycloalkyl, alkylamino, hydroxyalkylamino, heteroaryl, -SH, or alkyl;

R* is independently H, alkyl, cycloalkyl, aminoalkyl, alkoxy, -OH, -SH, alkylthio, hydroxyalkyl, haloalkyl, haloalkyloxy, aryl or heteroaryl;

R' is independently H, -CO₂R'', -CONHR'', CR''O, -SO₂NR'', -NR''-CO-haloalkyl, -NO₂, NR''-SO₂-haloalkyl, -NR''-SO₂-alkyl, -SO₂-alkyl, -NR''-CO-alkyl, -CN,

alkyl, aminoalkyl, alkylamino, alkoxy, -OH, -SH, alkylthio, hydroxyalkyl,

hydroxyalkylamino, halogen, haloalkyl, haloalkyloxy, aryl, arylalkyl or heteroaryl;

R'' is independently hydrogen, haloalkyl, hydroxyalkyl, alkyl, cycloalkyl, aryl, heteroaryl or aminoalkyl;

R^2 is H or OR^6 , NHR^7 , NR^7OR^7 or R^2 together with the nitrogen atom which is attached to R^8 form a 6 membered heterocyclic ring with the proviso that R^2 is $-[CH_2]_8$ and R^8 is absent;

R^3 is H, alkyl, cycloalkyl, aryl, alkoxy, O-aryl; O-cycloalkyl, halogen, aminoalkyl, alkylamino, hydroxylamino, hydroxylalkyl, haloalkyloxy, heteroaryl, alkylthio, S-aryl; S-cycloalkyl, arylalkyl, or haloalkyl;

R^4 is H, alkyl, cycloalkyl, aryl or heteroaryl;

R^5 is H, OH, alkoxy, O-aryl, alkyl or aryl;


R^6 is H, alkyl, cycloalkyl, aryl, arylalkyl, heteroaryl, alkylaryl, alkoxyalkyl, acylmethyl, (acyloxy)alkyl, non-symmetrical (acyloxy)alkyldiester, or dialkylphosphate;

R^7 is H, OH, alkyl, aryl, alkoxy, O-aryl, cycloalkyl, or O-cycloalkyl;

R^8 is hydrogen, or alkyl;

E is an alkyl or cycloalkyl group which is substituted by $[D_m-(CHR_3)_n]_qY$ or a monocyclic or polycyclic substituted or unsubstituted ring system which may contain one or more groups X and which contains at least one aromatic ring;

Y is hydrogen, halogen, haloalkyl, haloalkyloxy, alkyl, cycloalkyl, a monocyclic or polycyclic substituted or unsubstituted ring system which may contain one or more groups X and which contains at least one aromatic ring or



m is 0 or 1;

n is 0 or 1;

p is 0 or 1;

q is 0 or 1;

s is 0 to 2; and

t is 0 to 3;

with the proviso that the following compounds are excluded: 5,5-Dimethyl-4-phenyl-2-(3-phenyl-ureido)-4,5-dihydro-furan-3-carboxylic acid methyl ester, 2[3-(4-Chlorophenyl-ureido)]-5,5-dimethyl-4-phenyl-4,5-dihydro-furan-3-carboxylic acid methyl ester, 2[3-(4-Methoxyphenyl-ureido)]-5,5-dimethyl-4-phenyl-4,5-dihydro-furan-3-carboxylic acid methyl ester, 2[3-(4-Methylphenyl-ureido)]-5,5-dimethyl-4-phenyl-4,5-dihydro-furan-3-carboxylic acid methyl ester, 2[3-(4-Nitrophenyl-ureido)]-5,5-dimethyl-4-phenyl-4,5-dihydro-furan-3-carboxylic acid methyl ester, 4-(4-Chlorophenyl)-5,5-dimethyl-2-(3-phenyl-ureido)-4,5-dihydro-furan-3-carboxylic acid methyl ester, 4-(4-Chlorophenyl)-2[3-(4-chlorophenyl-ureido)]-5,5-dimethyl-4,5-dihydro-furan-3-carboxylic acid methyl ester, 4-(4-Chlorophenyl)-2[3-(4-methoxyphenyl-ureido)]-5,5-dimethyl-4,5-dihydro-furan-3-carboxylic acid methyl ester, 4-(4-Chlorophenyl)-2[3-(4-methylphenyl-ureido)]-5,5-dimethyl-4,5-dihydro-furan-3-carboxylic acid methyl ester, or 4-(4-Chlorophenyl)-2[3-(4-nitrophenyl-ureido)]-5,5-dimethyl-4,5-dihydro-furan-3-carboxylic acid methyl ester.

Claim 5 (Currently Amended): A pharmaceutical composition comprising:
[[a]] ~~the compound as defined in of Claim 1 in free form or in the form of a~~
~~pharmaceutically acceptable salt or physiologically functional derivative;~~ and
a pharmaceutically acceptable diluent or carrier.

Claim 6 (Currently Amended): ~~A compound according to claim 1 for the use as a~~
~~medicament~~ A pharmaceutical composition comprising:
the compound of Claim 2, and
a pharmaceutically acceptable diluent or carrier.

Claims 7-18 (Cancelled)

Claim 19 (New): A method for treating a disease associated with the expression of
DHODH comprising administering an amount of the compound of Claim 1 effective to
inhibit the activity of DHODH to a subject in need thereof.

Claim 20 (New): A method for treating a disease associated with the expression of
DHODH comprising administering an amount of the compound of Claim 2 effective to
inhibit the activity of DHODH to a subject in need thereof.

Claim 21 (New): The method of Claim 19, wherein the disease is selected from the
group consisting of rheumatism, an acute immunological disorder, an autoimmune disease, a
disease caused by malignant cell proliferation, an inflammatory disease, a disease that is
caused by a protozoal infestation, a disease that is caused by a viral infection, *Pneumocystis*
carinii, fibrosis, uveitis, rhinitis, asthma and athroopathy.

Claim 22 (New): The method of Claim 19, comprising administering a compound of the general formula (I) or a salt thereof.

Claim 23 (New): The compound of Claim 1, which is compound of the general formula (I) in free form.

Claim 24 (New): The compound of Claim 1, which is a salt of a compound of general formula (I).

Claim 25 (New): The compound of Claim 1, which is a physiologically functional derivative of a compound of general formula (I).

Claim 26 (New): The compound of Claim 1, wherein ring A contains five carbon atoms.

Claim 27 (New): The compound of Claim 1, wherein ring A contains a single double bond between the carbon atoms carrying substituents Cz¹ and Cz².

Claim 28 (New): The compound of Claim 1, wherein ring A contains a single X group which is CO.

Claim 29 (New): The compound of Claim 1, wherein none of the carbon atoms is replaced by X.

Claim 30 (New): The compound of Claim 1, wherein R^1 is OH, OCH_3 , SH, CO_2H , SO_3H or tetrazolè.

Claim 31 (New): The compound of Claim 1, wherein R^9 is H.

Claim 32 (New): The compound of Claim 1, wherein R^2 is OH or OR^6 .

Claim 33 (New): The compound of Claim 1, wherein R^8 is H or methyl.

Claim 34 (New): The compound of Claim 1, wherein Y is optionally substituted phenyl.

Claim 35 (New): The compound of Claim 1, wherein D is S or O and $m = 1$.

Claim 36 (New): The compound of Claim 1, wherein z^1 and z^2 are both O.